



Road District

4232 Tower Court, Naperville, Il. 60564  
Ph. (630)717-0092 ext 3 Fax (630)717-0094  
[info@wheatlandroaddistrict.com](mailto:info@wheatlandroaddistrict.com)

## Driveway/ Construction/Access Application Requirements

### APPLICATION:

- Completed Application
- Application Fee:

Driveway, Pool, Culvert Replacement	\$100.00
Remodeling, Additions	\$250.00
New Construction	Contact the Office
- Submit (1) copy of plat of survey, indicating location and size of drive
- Contact **JULIE, INC.** @ 811 – Two working days prior to digging to locate utilities

### CODE REQUIREMENTS:

- The width of the approach cannot exceed **20** feet.
- The top surface of the asphalt must be sloped away from the road
- Saw cut and smooth butt joint to the road right-of -way

### INSPECTION:

- Pre-inspection of the culvert and right-of-way by the Highway Dept. is required
- If a new culvert is needed, the Highway Dept. will provide the correct length and diameter to be installed by the resident or contractor.
- After culvert replacement is complete, an inspection is required to assure correct placement and pitch.
- Final inspection is required to check butt joint and road condition.

### CONTRACTOR REQUIREMENTS:

- A Surety Bond in the amount of **\$10,000**.
- Certificate of insurance for General Liability in the amount of **\$500,000** listing Wheatland Township Road District as the certificate Holder.